

Delivery Bed DB-110







Features:

- Very pleasing contoured design provides a comforting environment for the patient
- Very sturdy construction ensures safety and ease of use
- Electromechanical drives operate with low noise, high reliability, and very low maintenance requirements
- Three positioning functions of up & down, trendelenburg, and back section are activated electrically
- Lightweight user friendly control panel for electrical adjustments
- Very low minimum height of 620 mm provides easy access to the bed
- The integrated weight compensation by gas springs facilitates manual adjustment of the footrest by just pulling a lever
- The footrest may be easily rotated and be hidden under the seat section of the bed
- Leg holders can be articulated in numerous different positions for optimal support and comfort of the patient
- Pads are easily removable to facilitate cleaning
- Four lockable, easy-glide, swiveling castors ensure mobility and safety
- Designed, manufactured, and tested according to international standards, yet offered at a very attractive price

Technical Specifications:

- Electromechanical Adjustments:








Height : 620 - 920 mm
Trendelenburg : 15°
Back Section : -10° / +70°

- Manual Adjustments:


Footrest Down : 190 mm
Footrest Rotation : 90°

- Other Specifications:

Overall Length : 2150 mm
Overall Width : 860 mm
Weight : 300 kg



Features and specifications are subject to change without notice.



Farafan Engineering Co.
No. 2, Sahel St., Olympic Blvd, Olympic Cir.,
Tehran 14858-53604 Iran
Tel & Fax: +98-21-91302718
Email: business@farafan.com
website: www.farafan.com

