


# OT - 90 H

## Electrohydraulic Operating Table



 **FARAFAN**

- 6 independently adjustable sections provide numerous positioning possibilities
- Detachable and reversible head and leg sections make the table compatible with use of a C-arm.





---

# OT - 90 H

## Electrohydraulic Operating Table

---





### Features:

- A very sturdy, mobile, and universal operating which is designed to support a patient weight of 350 kg.
- Eccentric column position plus detachable leg and head sections with the possibility to reverse the orientation of leg and head sections make the use of C-arm possible on any part of patients body during all types of surgical operations.
- High quality hydraulic components from reputable German manufacturer are used to ensure reliable and safe operation.
- Fully stainless steel construction including table top frames, accessories rails, base cover and column telescopic covers.
- Table top is divided into 6 sections including 2 back sections providing numerous articulation possibilities
- Split leg sections which can be adjusted independently both in up-down and 90 degrees to the side increase versatility.
- Integrated weight compensation by rigid locking gas springs facilitates manual adjustment of the head and leg sections.
- Table top is X-ray translucent without any metallic parts in the middle of the table top, making radiography possible over the entire length patients body.
- Special antistatic and anti bacterial material is used for pad covers. Pads are easily removable and totally sealed to facilitate cleaning.
- Optimally designed base provides ample toe space for the user, along with extreme stability.
- Four easy glide castors, all of which are swiveling provide optimum maneuverability in any direction.
- Central braking system consisting of four brake shoes, disengages all wheels and secures the table rigidly in place. The braking system is actuated by control panel.
- Designed, manufactured and tested according to international standards.



- ◆ Lightweight, user friendly remote control with detachable cable connection activates 6 positioning and locking functions of the table
- ◆ A safety push button prevents accidental operation of the table.
- ◆ Height, trendelenburg, lateral tilt, lower back, upper back, and central brake are activated from the control panel





- ❖ Versatility of **OT -90 H** may be greatly enhanced by attachment of all kinds of accessories.
- ❖ Farafan is an ISO 9001: 2015 and ISO 13485: 2016 certified company. **OT -90 H** operating table has **CE** marking certification.



## TECHNICAL SPECIFICATIONS:

### Electrohydraulic Adjustments:










|            |                                 |
|------------|---------------------------------|
| Height     | : 725-1120 mm                   |
| Trend      | : $+30^{\circ}$ / $-25^{\circ}$ |
| Lower Back | : $+70^{\circ}$ / $-30^{\circ}$ |
| Upper Back | : $+70^{\circ}$ / $-30^{\circ}$ |
| Tilt       | : $\pm 20^{\circ}$              |

### Manual Adjustments:

|                      |                                 |
|----------------------|---------------------------------|
| Leg Section, up/down | : $+30^{\circ}$ / $-70^{\circ}$ |
| Leg Section, lateral | : $90^{\circ}$                  |
| Head Section         | : $-25^{\circ}$ / $+55^{\circ}$ |

### Other Specifications:

|                    |           |
|--------------------|-----------|
| Overall Length     | : 2100 mm |
| Overall Width      | : 600 mm  |
| Weight             | : 300 Kg  |
| Max Patient Weight | : 300 Kg  |



Features and specifications are subject to change without notice.



Farafan Eng. Co.

No. 2, Sahel St., Olympic Blvd, Olympic Cir.,  
Tehran 14858-53604 Iran  
Tel & Fax: +98-21-91302718  
Email: [business@farafan.com](mailto:business@farafan.com)  
website: [www.farafan.com](http://www.farafan.com)